



CORONA[®]

**SUN REFLECT
WEATHER BARRIER**





CORONA[®]

SUN REFLECT WEATHER BARRIER




Off White 802



Apple White 876




Rose White 878



Ash White 801




Istanbul Beige 846



Ivory 875



Sweet Jewel 830




Magnolia 879



Bisque 880



Fawn 850



Cameo 810



Honey Dew 827



Phlox 860



Sweet Peach 856



Cinnamon 851




Yellow 843



Rex Yellow 877



Mustard 841




Coral Reef 828




Mehndi 836



Sand Stone 807




Oat 891




Parchment 883



Hopsack 806




Lilac 885



Moorland 817




Camel Coat 892



Fresh Lime 884



Park Green 861




Red Rose 881



Bunflow 886



Mossy Fern 893



Beige 809



Avocado 823



Hibiscus 882



Beaver 816



Capricorn 854



Golden Needles 859



Rado Green 890




Roof Tile 819



Also available in Brilliant White 800


The patterns on this card shows approximate colours only.




Karo Dawn 829




Spice 838



Sky Grey 814



Iced Mint 887



Fresh Violet 831



Dusky Sun 842




Tile Red 826



Ocean Storm 840



Stone Grey 888



Blue Flame 889



Fresh Orange 857



Terracotta 820



Goose Wing 812



Light Ferozi 834




Corona Blue 835



Molten Bronze 858



Red Oxide 818



Charcoal 811



Turquoise 822



Admiral 821



Dawn[®]
COATING & CHEMICAL INDUSTRY (PVT) LTD.

📍 19-Km Multan Road, Lahore-Pakistan
🌐 www.coronapaints.com.pk
✉ info@coronapaints.com.pk
📘 Coronapaints.co



SUN REFLECT WEATHER BARRIER

is a high quality 100% acrylic-based emulsion paint for new or previously painted exterior masonry surfaces, such as brick work, plaster and cement rendering.



**Thinner
Clean Water**
تھنر: صاف پانی



**Clean all equipment
with water**
تمام اوزار پانی سے صاف کر لیں



**No. of coats
2 - 3**
تعداد کوٹ: ۲ سے ۳



Roller & Brush
Add 50-75% clean water
برش اور رولر کے لیے ۵۰ سے ۷۵ فیصد
صاف پانی ڈالیں



Coverage
13-17 m² / litre / coat
کوٹنگ: ایک لیٹر میں ۱۳ سے ۱۷
مربع میٹر فی کوٹ



Drying Time
2-3 hours after every coat
ڈرائنگ ٹائم: ہر کوٹ کے بعد ۲ سے ۳ گھنٹے کا وقفہ کریں

